

3 PROBLEMS | 1 ANSWER

Micronutrient delivery just got a whole lot more efficient.

Zinc, manganese and boron are the three most common deficiencies in corn and soybeans. A deficiency in even just one key micronutrient can impact yield potential. With one efficient application of MAX-IN® Ultra ZMB® Plus micronutrient, you can meet the majority of in-season crop demands to help maximize crop performance potential.


PROBLEM 1:
78.7% OF CORN PLANTS ARE DEFICIENT IN ZINC!

PROBLEM 2:
65.5% OF CORN PLANTS ARE DEFICIENT IN MANGANESE!

PROBLEM 3:
67% OF CORN PLANTS ARE DEFICIENT IN BORON!

ANSWER:
MAX-IN ULTRA ZMB PLUS

MAX-IN® Ultra ZMB® Plus



BORON
Influences cell development and is essential during reproductive stage.

MANGANESE
Essential for photosynthesis and plays a key role in disease resistance.

ZINC
Aids in leaf growth, cell elongation and early ear development.

CORNSORB® TECHNOLOGY
Increases humectancy and keeps droplets wet longer for increased nutrient uptake.

Micronutrients Matter

MAX-IN[®] Ultra ZMB[®] Plus

FORMULATION OPTIMIZATIONS



1. STORAGE & SHIPPING CONVENIENCE

This formulation has long-term shelf stability to make storage a breeze with no corrosive classification, which means no need for hazmat transportation.



2. APPLICATION FLEXIBILITY

Patent-pending formulation is tank-mix approved for all major traits, including Enlist[®] One, Enlist Duo[®], XtendiMax[®] and Engenia[®].*



3. PLANT UPTAKE

Plants aren't naturally designed for nutrient absorption. That's what a plant's roots are for. But CornSorb[®] technology helps break through the leaf's defensive barrier to strengthen micronutrient uptake.

TO PLACE AN ORDER OR LEARN MORE, CONTACT YOUR WINFIELD UNITED REPRESENTATIVE.

¹ Average based on 221,050 tissue samples from the WinField United Tissue Sample Treasury across V4-R2 growth stages from 2012-2022.

© 2023 WinField United. Important: Before use always read and follow label instructions. Crop performance is dependent on several factors many of which are beyond the control of WinField United, including without limitations, soil type, pest pressures, agronomic practices and weather conditions. Growers are encouraged to consider data from multiple locations, over multiple years and to be mindful of how such agronomic conditions could impact results. MAX-IN, ZMB and WinField are trademarks of WinField United. All other trademarks are the property of their respective owners.

**WINFIELD
UNITED**