

Safety Data Sheet

Valcheck 2.0

N	NFPA HAZARD RATING				U.S. TRANSPORT SUMMARY	
	0	Least				
	1	Slight	1	Health	Not Regulated for ground	
	2	Moderate	1	Flammability	transportation by US DOT	
	3	High	1	Reactivity		
	4	Severe				

SECTION 1: IDENTIFICATION				
Product Name:	Valcheck 2.0			
Product ID/Item #:	1707470, 1707471			
Common Name:	Non-AMS water conditioner, Humectant, Surfactant, Drift Retardant			
Chemical Description:	Non-AMS water conditioner, Humectant, Surfactant, Drift Retardant			
Recommended Uses:	Adjuvant – See product label for full directions for use.			
Restrictions for Use: See product label for any potential use restrictions				
Manufactured For:	MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)			
WINFIELD SOLUTIONS,	LLC			
P. O. Box 64589	Non-Emergency Business Inquiries: 1-855-494-6343			
St. Paul, MN 55164-0589				
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:				

CHEMTREC 1-800-424-9300 (24 hours)

		SECTION 2: HAZ	ZARDS IDENTIFICATIO	ON		
POTENTIAL H	POTENTIAL HEALTH EFFECTS:					
Eyes: Causes						
		contact with skin				
Inhalation: Ma						
Ingestion: Ma						
Skin Irritation	: Causes mild	skin irritation				
Carcinoge	enicity	NTP: Not listed	IARC: Not listed	OSHA: Not listed		
SIGNAL WOR	D: WARNING					
HAZARD STA	TEMENTS:					
KEEP OUT OF	REACH OF (CHILDREN		^		
Causes seriou	s eye irritation	and mild skin irritation. May	y be harmful if swallowed or if in			
contact with sk	in. Do not get	t on skin, in eyes, or on cloth	ning. Do not eat, drink, or			
			ist. Wash thoroughly with soap			
			ng tobacco or using the toilet.			
			Read and understand the entire	\mathbf{V}		
product.	Safety Data Sheet (SDS), Directions for Use, and Notice of Warranty before using this					
PRECAUTION	ARY STATEM	MENTS:				
Prevention:	Prevention: See Section 8 for personal protective equipment.					
Response:						
Storage:	·					
Disposal		13 for disposal information.				

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	% (wt)	CAS Reg. #
*Proprietary blend of water conditioning agent(s)/surfactant(s)/polymer	100.0%	N/A

*Ingredients not specifically listed are non-hazardous and are considered to be confidential business information under 29 CFR 1910.1200(i).

See Section 8 for exposure limits.

SECTION 4: FIRST AID MEASURES

Inhalation:	After vapor exposure, remove to fresh air. Cal a physician if breathing difficulties or irritation persists.
Ingestion:	Call a poison control center or doctor immediately for treatment advice. Have the person rinse mouth with water. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin:	Remove contaminated clothing. Rinse skin with plenty of soap and water for 15-20 minutes. Call a doctor/physician if irritation occurs.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Dry chemical, foam or carbon dioxide (CO₂)

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Water may be ineffective in fire fighting. Dispose of fire control water later. Avoid breathing vapors; keep upwind to avoid hazardous vapors and decomposing product. Heat may build pressure and rupture closed containers, spreading fire and increasing the rise of injury. Use water spray/fog for cooling containers and firefighting. Notify proper authorities if liquid material enters the sewer or public waters.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Stop spill at source. Construct temporary dikes of dirt, sand or appropriate readily available material to prevent spreading of material. Close cap or valves and/or block or plug hole in leaking container and transfer to another container. Keep from entering storm sewers and ditches which lead to waterways, and If necessary, call the local fire or police department for immediate assistance.

Methods for Containment and Clean up: Spilled material is slippery. Neutralize spill with soda ash or lime. Absorb spilled liquid with polypads or other absorbent materials. Clean up with non-combustible absorbent (such as sand or soil). Shovel up and place all spill residue in suitable containers. Use detergent if needed. Dispose of at an appropriate waste disposal facility according to current applicable laws and regulations and product characteristics at time of disposal.

Other Information: Uncontrolled releases should be responded to by trained professionals using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel.

SECTION 7: HANDLING AND STORAGE

Handling: Follow all SDS / label precautions when using this product. Do not reuse the container.
 Storage: Store in a cook, dry, well ventilated area.
 Minimum Storage Temperature: Store above 32° F
 Other Precautions: Consult Federal, State and local laws and regulations pertaining to storage.

Revision Date: 07-OCT-2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION						
Exposure Guidelines						
Component:	OSHA PEL	ACGIH TLV	NIOSH REL			
Glycerol (mist)	TWA 15mg/m ³ (total)					
	TWA 5mg/m ³ (resp)					
	oid high concentrations of vapor and/or mist.	Use local exhaust if availa	able or use NIOSH/MSHA			
approved organic vapor resp	rator, as necessary.					
	Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne					
concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is						
	preferred. Facilities storing or utilizing this material should be equipped with an eyewash station,					
safety shower, and adequate ventilation.						
Skin Protection: Clean, body covering clothing and impervious gloves such as neoprene should be used. Avoid prolonged						
and unnecessary skin contact with product.						
Eye Protection: Wear OSHA standard chemical splash goggles or face mask; avoid eye contact at all times.						
Other Protective Clothing	r Equipment:					
Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material,						
especially before eating, drinking, smoking, using the toilet, or applying cosmetics.						

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Physical State:	Liquid	Specific Gravity (H ₂ O=1):	1.21-1.27 g/cm³ (g/ml) (@25 C)	
Vapor Pressure (mm Hg):	Not determined	Density (lbs/gallon):	10.1 – 10.6 lbs/gal	
Vapor Density (Air=1):	Not determined	Melting Point/Freezing Point:	Not determined	
Solubility in Water (wt %):	Soluble	Boiling Point/Range:	Not determined	
Viscosity:	Not determined	pH:	5.5-7.5	
Appearance and odor:	Hazy liquid	Flash Point:	>93 C	

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Combustion will produce carbon oxides, nitrogen oxides and other products of incomplete combustion. **Chemical Stability:** Stable at ambient temperatures and atmospheric pressure.

Possibility of Hazardous Reactions: Combustion will produce carbon oxides, nitrogen oxides and other products of incomplete combustion. Hazardous polymerization will not occur.

Conditions to Avoid: Oxidizing materials

Incompatible Materials: Not determined

Hazardous Decomposition Products: Not determined

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	
Eye Effects:	Contact with product sill cause eye irritation. Avoid contact with product at all times.
Skin Effects:	Contact with product will cause irritation and may be harmful if absorbed through the skin. Avoid prolonged and unnecessary skin contact with the product.
Acute Inhalation Effects:	Inhaling concentrated vapors may be harmful and may cause nasal and respiratory tract irritation. Overexposure by inhalation may cause headache, nausea, weakness, and lightheadedness.
Acute Oral Effects:	May cause burning pain in mouth, throat, and abdomen and coughing and constriction of the throat, followed by nausea, vomiting, and diarrhea. Do not taste or swallow product.
Specific Target Organ	No data available
Toxicity:	
CHRONIC TOXICITY	
Chronic Effects:	No data available
Carcinogenicity:	No data available
Mutagenicity:	No data available

Teratogenicity:No data availableReproductive Toxicity:No data availablePOTENTIAL HEALTH EFFECTS:Eyes:Cat 2a – Causes serious eye damageDermal:Cat 5 – May be harmful in contact with skinInhalation:Cat 5 – may be harmful if inhaledIngestion:Cat 5 – may be harmful if swallowedSkin Irritation:Cat 3 – causes mild skin irritation

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY:	
ECOTOXICITY DATA:	
Fish Acute and Prolonged Toxicity:	No data available
Aquatic Invertebrate Acute Toxicity:	No data available
Aquatic Plant Toxicity:	No data available
Bird Acute and Prolonged Toxicity:	No data available
Honeybee Toxicity:	No data available
ENVIRONMENTAL EFFECTS:	
Soil Absorption/Mobility:	No data available
Persistence and degradability:	No data available
Bioaccumulative Potential:	No data available
Other adverse effects:	No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of product in accordance with applicable Federal, state and local laws and regulations. Do not contaminate water, food, or feed by disposal.

Container: Disposal of container in compliance with local, State, and Federal regulations. Empty containers must be handled properly due to product residue.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORT INFORMATION			
DOT: (Ground)	Not regulated for US Transport		
IMDG: (Sea)	Not determined		
IATA: (Air)	Not determined		
TDG: (Canada)	Not determined		

Section 15—Regulatory Information

TSCA Inventory: All components are listed on the TSCA inventory. SARA Title III Information:

 Section
 302/304
 Extremely
 To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

 Section
 311/312
 Hazard
 To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

 Section
 311/312
 Hazard
 To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

 Section
 313
 The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372:

 To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

 End to the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

CERCLA - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):

No component reportable quantities could be met with any practical quantity of product.				
California Proposition 65: This product contains no reproductive toxicity.	o chemicals known to	the State of California to cause cancer or		
U.S. State Worker and Community Right-To-Kno	w (RTK) Information	n (CT, IL, MA, MN, NH, NJ, PA, RI):		
Chemical Name	CÀS #	State(s)		
Glycerol	56-81-5	NJ, PA		
Canadian Domestic Substances List:				
Chemical Name Not determined	CAS#			
WHMIS Classification: Not determined				

Section 16—Other

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: Initial – October 7, 2020 Sections Revised: Supersedes document dated: