

# Topaz<sup>®</sup>

Broad-spectrum disease control in corn, sorghum, soybeans, citrus, berries, fruits and other crops.

## Product Use

Topaz<sup>®</sup> fungicide offers broad-spectrum disease control for a wide variety of crops. Topaz<sup>®</sup> fungicide is a triazole fungicide with propiconazole as the active ingredient. It delivers powerful disease control and, when used in rotation with fungicides employing other modes of action, is an effective part of a resistance management program. For maximum flexibility, it can be tank mixed with other common products and applied by ground, air and chemigation (on wheat, barley, rye, oats, triticale, corn, grasses grown for seed, parsley, cilantro, peanuts and sugar beets).

## Crops and Uses


Topaz<sup>®</sup> fungicide is labeled for almonds, bananas and plantains, barley, berries, carrots, celery and leaf petioles, cilantro, citrus (non-bearing), corn (field, pop, seed, sweet), cranberries, filberts (hazelnuts), garden beets, grasses grown for seed, mint, oats, onions and garlic, parsley, peanuts, pecan, pineapple (Hawaii only), pistachios, rice, rye, sorghum, soybeans, stone fruit, strawberries, sugar beets, sugarcane, tree nuts, triticale, wheat and wild rice (Minnesota only).


## Crops and Uses


Topaz<sup>®</sup> fungicide controls a broad spectrum of diseases, including anthracnose, Septoria spp., rust (Puccinia spp.), leaf spots, leaf blights, powdery mildew, Rhizoctonia spp. and many more.


Fungicide  
Group 3 - Broad-Spectrum Fungicide



 **USE RATE<sup>†</sup>**  
See Label

 **APPLICATION GUIDE<sup>†</sup>**  
Adjuvants are generally not required, but they may be used to improve consistency and efficacy in some cases. See specific label recommendations. To lock in spray coverage or deposition and lock out drift, include InterLock<sup>®</sup> or MasterLock<sup>®</sup> adjuvants.

 **ACTIVE INGREDIENTS<sup>†</sup>**  
41.8%: Propiconazole  
58.2%: Other ingredients  
Topaz<sup>®</sup> fungicide contains 3.6 pounds active ingredient per gallon.

 **PACKAGING**  
4x1-gallon jugs



# Topaz®

## Crops and Application Rates

Barnyardgrass	0.66 (10.6)
Almonds	4 to 8
Bananas and plantains	3
Berries	6
Carrots	Alone: 4 With chlorothalonil: 2
Celery and leaf petioles	4
Citrus (non-bearing)	6 to 8
Corn (field, pop, seed, sweet)	2 to 4
Cranberries	4 to 6
Filberts (hazelnuts)	5 to 8
Garden beets	3 to 4
Grasses grown for seed	4 to 8
Mint	4
Onions and garlic	Alone: 4 to 8 With tank-mix partner: 2 to 4
Parsley and cilantro	3 to 4
Peanuts	2.5 to 4
Pecans	4 to 8
Pineapple (Hawaii only)	0.75 fl oz per 100 gal of water
Pistachios	5 to 8
Rice	6 to 10
Sorghum	3 to 4
Soybeans	4 to 6
Stone fruit	4
Strawberries	4
Sugar beets	4
Sugarcane	0.75 fl oz per 100 gal of water
Tree nuts	4 to 8
Wheat, barley, rye, oats, triticale	2 to 4
Wild rice (Minnesota only)	6 to 8