

WARDEN CX II

Version 1.0 Revision Date: 10/11/2022

This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : WARDEN CX II

Product Registration number : 100-1720-1381

Manufactured for:

Company name of supplier : Winfield Solutions, LLC
 Address : P.O. Box 64589
 St. Paul, MN 55164-0589
 United States of America (USA)

Medical Emergency Telephone: 1 877 424 7452 (24 hrs)

Non-Emergency Telephone : 1-855-494-6343 (M-F 8AM-5PM (CST))

For Emergency Spill, Leak, : Chemtrec 1-800-424-9300 (24 hrs)
 Fire, Exposure or Accident:

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
thiamethoxam	153719-23-4	16.303
propane-1,2-diol	57-55-6	>= 5 - < 10
metalaxyl-M	70630-17-0	4.89
propane-1,2,3-triol	56-81-5	>= 1 - < 5
sedaxane	874967-67-6	0.815
fludioxonil	131341-86-1	0.815
picarbutrazox	500207-04-5	0.326
ethanamine, N,N-diethyl-	121-44-8	0 - < 0.1

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam	153719-23-4	TWA	5 mg/m ³	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
metalaxyl-M	70630-17-0	TWA	5 mg/m ³	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
sedaxane	874967-67-6	TWA	5 mg/m ³	Syngenta
fludioxonil	131341-86-1	TWA	5 mg/m ³	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

ethanamine, N,N-diethyl-	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m ³	OSHA Z-1
		STEL	15 ppm 60 mg/m ³	OSHA P0
		TWA	10 ppm 40 mg/m ³	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use. Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	red
Odor	:	aromatic
Odor Threshold	:	No data available
pH	:	6.5 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Method: Seta closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1,123 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	838 °F / 448 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	539 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : No decomposition if used as directed.
Incompatible materials : None known.
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.27 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 2,000 mg/kg
Remarks: Expert judgment

Components:

thiamethoxam:

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

metalaxyl-M:

- Acute oral toxicity : LD50 (Rat, female): 375 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

sedaxane:

- Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.244 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

fludioxonil:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

picarbutrazox:

- Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.20 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

ethanamine, N,N-diethyl-:

Acute oral toxicity : LD50 (Rat): 730 mg/kg
Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Acute dermal toxicity : LD50 (Rat): 580 mg/kg

Skin corrosion/irritation

Product:

Species : Rabbit
Result : No skin irritation

Components:

thiamethoxam:

Species : Rabbit
Result : No skin irritation

metalaxyl-M:

Species : Rabbit
Result : No skin irritation

sedaxane:

Species : Rabbit
Result : No skin irritation

fludioxonil:

Species : Rabbit
Result : No skin irritation

picarbutrazox:

Species : Rabbit
Result : No skin irritation

ethanamine, N,N-diethyl-:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Product:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

Components:

thiamethoxam:

Species : Rabbit
Result : No eye irritation

metalaxyl-M:

Species : Rabbit
Result : Risk of serious damage to eyes.

sedaxane:

Species : Rabbit
Result : No eye irritation

fludioxonil:

Species : Rabbit
Result : No eye irritation

picarbutrazox:

Species : Rabbit
Result : No eye irritation

ethanamine, N,N-diethyl-:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Not a skin sensitizer.

Components:

thiamethoxam:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

metalaxyl-M:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

sedaxane:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Not a skin sensitizer.

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

fludioxonil:

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

picarbutrazox:

Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Components:

thiamethoxam:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

metalaxyl-M:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

sedaxane:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

fludioxonil:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

picarbutrazox:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

ethanamine, N,N-diethyl-:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Components:

thiamethoxam:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

metalaxyl-M:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

sedaxane:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen. At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

fludioxonil:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

picarbutrazox:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Components:

thiamethoxam:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

metalaxyl-M:

Reproductive toxicity - Assessment : No toxicity to reproduction

sedaxane:

Reproductive toxicity - Assessment : No toxicity to reproduction

fludioxonil:

Reproductive toxicity - Assessment : No toxicity to reproduction

picarbutrazox:

Reproductive toxicity - Assessment : No toxicity to reproduction

ethanamine, N,N-diethyl-:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

ethanamine, N,N-diethyl-:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

STOT-repeated exposure

Components:

thiamethoxam:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

metalaxyl-M:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

sedaxane:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

fludioxonil:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

thiamethoxam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l
Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 81.8 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 81.8 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 28 d
Test Type: flow-through test

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

		NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l Exposure time: 88 d Test Type: Early-life Stage
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l Exposure time: 30 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
metalaxyl-M:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l End point: Growth rate Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 25 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
sedaxane:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.62 mg/l Exposure time: 96 h LC50 (Pimephales promelas (fathead minnow)): 0.98 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 6.10 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3 mg/l Exposure time: 96 h

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

- NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Lemna gibba (gibbous duckweed)): 6.5 mg/l
Exposure time: 7 d
- NOEC (Lemna gibba (gibbous duckweed)): 2.398 mg/l
End point: Growth rate
Exposure time: 7 d
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.165 mg/l
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.711 mg/l
Exposure time: 21 d
- fludioxonil:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l
Exposure time: 48 h
- EC50 (Americamysis): 0.27 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l
Exposure time: 96 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l
Exposure time: 28 d
- EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l
Exposure time: 116 d
- Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.035 mg/l

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

aquatic invertebrates (Chronic toxicity)	: Exposure time: 21 d NOEC (Americamysis): 0.018 mg/l Exposure time: 28 d
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h
picarbutrazox:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.29 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.28 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (green algae): > 0.25 mg/l Exposure time: 72 h NOEC (green algae): 0.11 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.14 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 28 d
ethanamine, N,N-diethyl-:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l Exposure time: 72 h

Persistence and degradability

Components:

thiamethoxam:

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 11 d Remarks: Product is not persistent.

metalaxyl-M:

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 22.4 - 47.5 d Remarks: Product is not persistent.

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

sedaxane:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: > 1 y
Remarks: Persistent in water.

fludioxonil:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d
Remarks: Persistent in water.

ethanamine, N,N-diethyl-:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

thiamethoxam:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: -0.13 (77 °F / 25 °C)

metalaxyl-M:

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

sedaxane:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.3 (77 °F / 25 °C)

fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (77 °F / 25 °C)

picarbutrazox:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

thiamethoxam:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 51 d

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

metalaxyl-M:

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

sedaxane:

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 83 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

fludioxonil:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

thiamethoxam:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

metalaxyl-M:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

sedaxane:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

fludioxonil:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

ethanamine, N,N-diethyl-:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(THIAMETHOXAM AND FLUDIOXONIL)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

- UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(THIAMETHOXAM AND FLUDIOXONIL)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(THIAMETHOXAM AND FLUDIOXONIL)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**WARDEN CX II**

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information**


SAFETY DATA SHEET

WARDEN CX II

Version 1.0
Revision Date: 10/11/2022

This version replaces all previous versions.

NFPA 704:



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		0
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "/" represents a chronic hazard, while the "-" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
OSHA P0 / TWA	:	8-hour time weighted average
OSHA P0 / STEL	:	Short-term exposure limit
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

SAFETY DATA SHEET

WARDEN CX II

Version Revision Date:
1.0 10/11/2022

This version replaces all previous versions.

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

US / Z8

Revision Date: October 11, 2022
Sections Revised: New

Supersedes document dated: New