Amsol Dry

Amsol®/Dry contains refined spray grade ammonium sulfate that is milled and blended with a proportionate amount of dry antifoam and used as a tank mix additive.

Benefits of using Amsol/Dry:

- Ammonium sulfate has been approved as a tank mix additive to enhance the performance of many herbicides.
- Research has shown that weed control has been increased when ammonium sulfate is used as an additive to the tank mix.
- Antifoam is designed to correct foaming issues created by herbicides (i.e. glyphosate) in tank mix solutions.







Application Window 1 & 2

Superior in-crop performance to control yield and stress causing weeds.



Milled and Refined Spray Grade Ammonium Sulfate with Built-In Antifoam

KEEP OUT OF REACH OF CHILDREN

READ ENTIRE LABEL BEFORE USING

GHS CLASSIFICATIONS

Health - Acute Toxicity (Oral), Category 5 Acute Toxicity (Dermal), Category 5 Skin Irritation, Category 3 Eye Irritation, Category 2A

GHS HAZARD STATEMENTS

May be harmful if swallowed or in contact with skin. May cause mild skin irritation. May cause serious eye irritation.

PRECAUTIONARY STATEMENTS

Avoid contact with skin, eyes, and clothing. Avoid inhalation of airborne dust. Wash thoroughly with soap and water after handling. Read and follow all precautionary statements on the accompanying pesticide label(s).

CALL A POISON CONTROL CENTER OR **DOCTOR IF YOU FEEL UNWELL**

If in eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

If swallowed: Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

PRINCIPAL FUNCTIONING AGENTS	
Ammonium Sulfate	99.1%
Polydimethylsiloxane	0.4%
Constituents Ineffective as Spray Adjuvant	0.5%
TOTAL	100.0%

21-0-0-24S

Components exempt from tolerance under 40CFR 180

GENERAL INFORMATION

Amsol Dry contains refined spray grade ammonium sulfate that is milled and blended with a proportionate amount of dry antifoam.

Ammonium sulfate has been approved as a tank mix additive to enhance the performance of many herbicides. Research with various crops and these herbicides has shown that weed kill has been increased when ammonium sulfate is used as an additive to the tank mix. Antifoam is designed to correct foaming issues created by herbicides (i.e. glyphosate) in tank mix solutions.

O DIRECTIONS FOR USE

Only a small amount of Amsol Dry is added to the herbicide solution: 8.5 to 17 pounds per 100 gallons of water (1 to 2% w/v). Agitate the tank water while slowly adding the Amsol Dry. Allow enough time for complete dissolution before adding additional adjuvants or herbicides.

MIXING INSTRUCTIONS SHAKE WELL OR RECIRCULATE BEFORE USE.

Agitate the tank water while slowly adding Amsol Dry. Allow enough time for complete dissolution before adding additional adjuvants or herbicides.

■ RECOMMENDED RATES

Use Rates: 8.5 to 17 pounds per 100 gallons of water (1 to 2% w/v)

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep containers tightly closed. Store in original container. Do not allow water or other chemicals to be introduced into contents of container. Do not contaminate water sources with equipment wash water, spray disposal wastes or by the cleaning of equipment. Do not store near feed or food products. Do not use or store near open flame or with oxidizing agents.

Disposal: Completely empty contents of bag into spray application equipment. Do not reuse container. Offer empty container for recycling, or puncture and dispose according to local and state regulations.

CONDITIONS OF SALE AND WARRANTY

The Directions for Use of this product are based on field use and tests. The directions are believed to be reliable and should be followed carefully However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of manufacturer or the Seller. All such risks shall be assumed by the Buyer. THE MANUFACTURER OR SELLER MAKES NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OF ANY OTHER EXPRESSED OR IMPLIED WARRANTY. IN NO CASE SHALL THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The manufacturer and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer. 030315



© Copyright United Suppliers, Inc., 30473 260th St., Eldora, IA 50627