

FoamBreaker™

FoamBreaker keeps equipment clean and ensures proper filling by eliminating foam.

Benefits of using FoamBreaker™:

- Increase spray load efficiency.
- Does not adversely interact with chemicals when included in the tank mix.
- Decreases the risk of ground contamination at the fill site.

Use Rate*:

Conventional Sprayer and Nurse Tanks:

- Add 1.5 to 2 ounces of FoamBreaker per 100 gallons of tank mix.

Recirculating Sprayers and Agitation Systems:

- Add 8 to 10 ounces of FoamBreaker per 50 gallons of tank mix.

*Rate will depend on amount of foaming components present. For best results, FoamBreaker should be added to the tank mix first, before pesticide or surfactant.



800-782-5123
www.unitedsuppliers.com

030717 FoamBreaker is a product of United Suppliers, Inc.



Application Window 1 & 2

Superior in-crop performance to control yield and stress causing weeds.



FoamBreaker™

Effective in Preventing Foam From Forming in Most Fertilizer or Pesticide Spray Applications

KEEP OUT OF REACH OF CHILDREN

WARNING

READ ENTIRE LABEL BEFORE USING

GHS CLASSIFICATIONS

Health - Eye Irritation, Category 2B



GHS HAZARD STATEMENTS

Hazard To Humans And Domestic Animals

PRECAUTIONARY STATEMENTS

General: If medical advice is needed, have product container or label at hand. **Keep out of reach of children.**

Prevention: Wash hands, face and other affected areas thoroughly after handling.

Response: **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

FIRST AID

CALL A POISON CONTROL CENTER OR DOCTOR IF YOU FEEL UNWELL

If in Eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice.

PRINCIPAL FUNCTIONING AGENTS

Silicone fluid emulsion	10%
Constituents Ineffective as Spray Adjuvants	90%
TOTAL	100%

Components exempt from tolerance under 40CFR 180

GENERAL INFORMATION

FoamBreaker reduces waste caused by pesticide spillage. FoamBreaker reduces the time needed to fill the tank and also the possibility of pump cavitation. By eliminating foam it helps keep equipment cleaner and insures proper filling which eliminates contamination of the ground at the fill site. FoamBreaker is effective in preventing foam from forming in most fertilizer or pesticide spray applications. FoamBreaker will not adversely interact with any of the chemicals to which it is applied.

DIRECTIONS FOR USE

Conventional Sprayer and Nurse Tanks:

Add 1.5 to 2 ounces of FoamBreaker per 100 gallons of tank mix. Rate will depend on amount of foaming components present. For best results, FoamBreaker should be added to the mix tank first, before pesticide or surfactant.



MIXING INSTRUCTIONS

Recirculating Sprayers and Agitation Systems

RECOMMENDED RATES

Add 8 to 10 ounces of FoamBreaker per 50 gallons of tank mix. Rate will depend on amount of foaming components present. For best results, FoamBreaker should be added to the mix tank first, before pesticide or surfactant.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep containers tightly closed. Store in original container. Do not allow water or other chemicals to be introduced into contents of container. Do not contaminate water sources with equipment wash water, spray disposal wastes or by the cleaning of equipment. Do not store near feed or food products. Do not use or store near open flame or with oxidizing agents.

Disposal: Triple rinse container and offer for recycling/reconditioning or dispose of at an approved sanitary landfill.

DO NOT REUSE EMPTY CONTAINER.

CONDITIONS OF SALE AND WARRANTY

The Directions for Use of this product are based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of manufacturer or the Seller. All such risks shall be assumed by the Buyer. THE MANUFACTURER OR SELLER MAKES NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OF ANY OTHER EXPRESSED OR IMPLIED WARRANTY. IN NO CASE SHALL THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGE RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The manufacturer and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of the manufacturer. 030717



© Copyright United Suppliers, Inc.,
30473 260th St., Eldora, IA 50627

www.unitedsuppliers.com
800-782-5123