


Broad-spectrum disease control in corn, sorghum, soybeans, citrus, berries, fruits and other crops

Product Use

Topaz® fungicide offers broad-spectrum disease control for a wide variety of crops. Topaz® fungicide is a triazole fungicide with propiconazole as the active ingredient. It delivers powerful disease control and, when used in rotation with fungicides employing other modes of action, is an effective part of a resistance management program. For maximum flexibility, it can be tank mixed with other common products and applied by ground, air and chemigation (on wheat, barley, rye, oats, triticale, corn, grasses grown for seed, parsley, cilantro, peanuts and sugar beets).



Topaz® fungicide is labeled for almonds, bananas and plantains, barley, berries, carrots, celery and leaf petioles, cilantro, citrus (non-bearing), corn (field, pop, seed, sweet), cranberries, filberts (hazelnuts), garden beets, grasses grown for seed, mint, oats, onions and garlic, parsley, peanuts, pecan, pineapple (Hawaii only), pistachios, rice, rye, sorghum, soybeans, stone fruit, strawberries, sugar beets, sugarcane, tree nuts, triticale, wheat and wild rice (Minnesota only).



Diseases Controlled

Topaz® fungicide controls a broad spectrum of diseases, including anthracnose, *Septoria* spp., rust (*Puccinia* spp.), leaf spots, leaf blights, powdery mildew, *Rhizoctonia* spp. and many more.

Ingredients

Propiconazole	41.8%
Other ingredients	58.2%
TOTAL	100%

Topaz® fungicide contains 3.6 pounds active ingredient per gallon.



Crops and Application Rates

Crop	Use Rate (Fluid Ounces per Acre)
Almonds	4 to 8
Bananas and plantains	3
Berries	6
Carrots	Alone: 4 With chlorothalonil: 2
Celery and leaf petioles	4
Citrus (non-bearing)	6 to 8
Corn (field, pop, seed, sweet)	2 to 4
Cranberries	4 to 6
Filberts (hazelnuts)	5 to 8
Garden beets	3 to 4
Grasses grown for seed	4 to 8
Mint	4
Onions and garlic	Alone: 4 to 8 With tank-mix partner: 2 to 4
Parsley and cilantro	3 to 4
Peanuts	2.5 to 4
Pecans	4 to 8
Pineapple (Hawaii only)	0.75 fluid ounces per 100 gallons water
Pistachios	5 to 8
Rice	6 to 10
Sorghum	3 to 4
Soybeans	4 to 6
Stone fruit	4
Strawberries	4
Sugar beets	4
Sugarcane	0.75 fluid ounces per 100 gallons water
Tree nuts	4 to 8
Wheat, barley, rye, oats, triticale	2 to 4
Wild rice (Minnesota only)	6 to 8

Adjuvants

Adjuvants are generally not required, but they may be used to improve consistency and efficacy in some cases. See specific label recommendations. To lock in spray coverage or deposition and lock out drift, include InterLock® or MasterLock® adjuvants.

Packaging

| 4 x 1-gallon jugs